

How should we ops?

Courtney Eckhardt

Heroku, a Salesforce.com company



```
$ heroku create sushi
```

```
Creating sushi... done
```

```
http://sushi.herokuapp.com/ | git@heroku.com:sushi.git
```

```
$ git push heroku master
```

```
----> Heroku receiving push
```

```
----> Rails app detected
```

```
----> Compiled slug size is 8.0MB
```

```
http://sushi.herokuapp.com deployed to heroku
```

why this talk


where I come from

what even

- DevOps
- OpsDev
- NoOps
- ???!!!! :-[

okay so then what's SRE

Total Ownership Model



WAT.

why's that good


hold me I'm afraid





By Pablo Valerio (Own work) [CC BY 3.0 (<http://creativecommons.org/licenses/by/3.0>)], via Wikimedia Commons



where have I heard that
before










“

*4. Put your developers on-call.
You'll be surprised what stops
breaking.*

Alice Goldfuss,

<http://sysadvent.blogspot.com/2016/12/day-6-no-more-on-call-martyrs.html>

but wouldn't you like to be sure that
you're doing useful work?





Conway's Law

organizations which design systems ... are constrained
to produce designs which are copies of the
communication structures of these organizations

--Melvin Conway, in **1968**

example: support

example: Heroku Data

example: retrospectives

what about when it's all on firepants



Image credit: https://www.nps.gov/features/yell/slidefile/history/1946_1999/structures/Images/15066.jpg

you're still in better shape



where does that leave
ops

experts

that's where

in conclusion



Thanks for listening <3

@hashocthorpe

